

丹羽鋼業 在庫表

鋼板

◎=常時在庫 ○=取り扱い可能 空欄=メーカー確認いたします。お問合せください。
表に載っていないサイズに関してもお気軽にお問合せください

改定日:2023/10/01

鋼板 無規格

	914x1829	1219x2438	1524x3048	1524x6096
1.6	◎	◎	◎	
2.3	◎	◎	◎	
3.2	◎	◎	◎	
4.5	◎	◎	◎	○
6	◎	◎	◎	○
9	◎	◎	◎	○
12	◎	◎	◎	○

冷延鋼板

	914x1829	1219x2438
0.6	○	
0.8	◎	○
1	◎	◎
1.2	◎	◎
1.6	◎	◎
2	◎	◎
2.3	◎	◎
3.2	◎	◎

酸洗鋼板

	914x1829	1219x2438	1524x3048
1.6	◎	◎	◎
2	◎	◎	
2.3	◎	◎	◎
3.2	◎	◎	◎
4.5	◎	◎	○
6	◎	◎	○

敷板

	1524x3048	1524x6096
3.2	○	
4.5	○	○
6	○	○

エキスパンドメタル

		ソロバン目			タタミ目		
		914x1829	1219x2438	1524x3048	914x1829	1219x2438	1524x3048
XS31	1.2	◎	◎				
XS32	1.6	◎	◎	○	○		
XS33-P	2.3	◎	◎	○	○		
XS41	1.6	◎	◎	○	○		
XS42	2.3	◎	◎	○	○		
XS43	3.2	◎	◎	○	○		
XS61	2.3	◎	◎	○	○		
XS62	3.2	◎	◎	○	○		
XS63	4.5	○	○	◎	◎		
XG21	4.5	○	○	◎	◎	○	
XG22	6.0	○	○	◎	◎	○	
メタルラス	0.8	○					

高張力鋼板 540

	914x1829	1219x2438	1524x3048
2.3			
3.2		○	○
4.5		○	○
6	○	◎	◎
9	○	◎	◎
12		◎	◎
16		◎	◎
19		◎	◎
22		◎	◎
25		◎	◎
28			◎

特殊鋼板 S45C

	914x1829	1219x2438
3.2	○	○
4.5	○	○
6	○	○
9	○	○
12	○	○

アンチスリップ

	914x1829	1219x2438
2	○	
3.2	○	○
4.5	○	○



丹羽鋼業株式会社 URL. www.niwa-samurai.co.jp

本社 愛知県名古屋市中川区篠原橋通り1-16 四日市支店 三重県四日市市河原田町1515
TEL. 052-351-2131 FAX. 052-353-5078 TEL. 059-346-1115 FAX. 059-349-1119

鋼材加工技術Navi
URL. kouzaikakou.com

丹羽鋼業 在庫表

鋼板

◎＝常時在庫 ○＝取り扱い可能 空欄＝メーカー確認いたします。お問合せください。
表に載っていないサイズについてもお気軽にお問合せください

改定日:2023/10/01

表面処理鋼板

	電気メッキ			溶融亜鉛メッキ		
	914x1829	1219x2438	1524x3048	914x1829	1219x2438	1524x3048
0.8	○	○				
1	○	○				
1.2	○	○				
1.6	○	○	○	○	○	
2.3	○	○	○	○	○	
3.2	○	○	○	○	○	

亜鉛鉄板

	花柄			0スパン		
	914x1829	1219x2438	1524x3048	914x1829	1219x2438	1524x3048
0.6	○					
0.8	○	○				
1	○	○				
1.2	○	○				
1.6	○	○		○	○	
2.3	○	○			○	
3.2	○	○			○	
4.5					○	

縞鋼板

	914x1829	1219x2438	1524x3048
2.3	◎	◎	◎
3.2	◎	◎	◎
4.5	◎	◎	◎
6	◎	◎	◎
9	◎	◎	◎
12	◎	◎	◎
16	○	○	○

ガルバリウム鋼板

	914x1829	1219x2438	1524x3048
0.6			
0.8		○	
1		○	
1.2		○	
1.6		○	
2.3			
3.2			
4.5			

縞鋼板 メッキ品

	914x1829	1219x2438
3.2	○	○
4.5	○	○
6	○	○

模様鋼板

	1219x2438
3.2	◎
4.5	◎



丹羽鋼業株式会社 URL. www.niwa-samurai.co.jp

本社 愛知県名古屋市中川区篠原橋通り1-16 TEL. 052-351-2131 FAX. 052-353-5078
四日市支店 三重県四日市市河原田町1515 TEL. 059-346-1115 FAX. 059-349-1119

鋼材加工技術Navi
URL. kouzaikakou.com

SS400 鋼板

	914x1829	1219x2438	1524x3048	1524x6096
1.6		○		
2.3		○		
3.2	◎	◎	◎	
4.5	◎	◎	◎	◎
6	○	◎	◎	○
8	○	◎	◎	
9	◎	◎	◎	○
10			○	
12	◎	◎	◎	○
16	○	○	○	
19	○	○	○	
22	○	○	○	
25	○	○	○	
28	○	○	○	
32	○	○	○	
36	○	○	○	
38	○	○	○	
40				

SS400 中部鋼板

	914x1829	1219x2438	1524x3048
2.3			
3.2			
4.5			
6			
9		◎	◎
12		◎	◎
16	◎	◎	◎
19	◎	◎	◎
22	◎	◎	◎
25	◎	◎	◎
28	◎	◎	◎
32		◎	◎
38		◎	
45		◎	
50		◎	

SS400 鋼板(耳付)

	1524x6096	2100x6096	2438x6096
2.3			
3.2			
4.5			
6		◎	◎
9		◎	◎
12		◎	
16	◎	◎	
19	◎	◎	
22			
25		◎	
28			
32			
38			
45			
50			

SS400 正厚鋼板(-0公差板厚)

	1524x6096
4.5	◎
6	◎
9	◎
12	◎